



## Leaded tin bronze - ASTM B30-16

Classification	Alloy name		Cu	Pb	Sn	Fe	Al	Ni	Mn	Sb	P	Si	Zn	S	As	Bi	Cd	Cr	Mg	Co	Se	
ASTM B30-16	C92500 (B, C, A)	min	85	1	10.3	-	-	0.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		max	88	1.5	12	0.2	0.005	1.5	-	0.2	0.3	0.005	0.5	0.05	-	-	-	-	-	-	-	-

## Notes

- A** In this alloy Cobalt is included in Nickel content
- B** In determining copper minimum, copper may be calculated as copper plus nickel
- C** Copper plus sum of named elements, 99.3%